

UNDERSTANDING THE RISK FACTORS OF

Intimate Partner Violence (IPV) Survivorship & Perpetration.

A biosychosocial understanding of IPV

DJIGBONDE DANIELLA C. DJAIGBE¹

¹University of Toronto - Psychology department

Today's Conversation

IPV Survivorship & Perpetration Risk Factors

1

Background
information

2

Research
objective

3

Research
method

4

What are we
trying to get
out of it?

5

Preliminary
findings

Intimate Partner Violence (IPV)

IPV = Physical, sexual, emotional abuse, or controlling behaviours between intimate partners.

- **Research evolution:**
 - **Originally focused on women as victims**
 - **Now acknowledges men & bi-directional violence**

23-31% of women and 3.4-20.3% of men globally have experienced IPV once.

Prevalence of IPV continues to rise, with a 33% increase from 2019 to 2021.

In the United States, IPV-related 911 calls increased by 27% due to school closures and stay-at-home orders.

COVID-19 effect

Global Scope & The COVID-19 Surge

STAY-AT-HOME ORDER




INCREASE IPV CASES



"Pandemic within a pandemic"

The challenge of disorganized research on IPV post-COVID-19

Main GAP: No comprehensive post-COVID review of IPV risk factors - Existing studies focus on one aspect at a time rather than a holistic approach



Research objective

Main Goal: Organize & map biopsychosocial risk factors of IPV post-COVID

2 FOCUS AREAS:

1

Survivorship

Understanding the factors that make individuals vulnerable to IPV.


2

Peperutation

Identifying the influences that lead some individuals to engage in abusive behaviors

A Biopsychosocial Model

- A holistic approach to health we approach our research.
- Looks at the interaction of Biological, Social, & Psychological risk factors.
- Helps create more effective intervention strategies.



Research method

A 3-STEP DESIGN



A TWO YEAR TIMELINE

-  Use of Covidence.org
-  A large team of 10+

-  Always 2 reviewers + 1 conflict resolver

**SYSTEMATIC
SEARCH**

**ABSTRACT &
FULL TEXT
SCREENING**

**DATA
EXTRACTION**

ELIGIBILITY CRITERIA



INCLUSION

Full-text primary study article

Published between 2020-2023

Focuses on risk factors for IPV
perpetration and/or victimization

IPV occurs in a romantic dyadic
relationship for partner age <12

Specific factor increases
risk/occurrence of IPV



EXCLUSION

No explicit mention of risk factor(s)

Wrong comparator or/and
Wrong population

Wrong outcome

Not a primary study


Not a full text article

PROGRESS...

TEAM PROGRESS




27,566




SYSTEMATIC SEARCH

24,980



**TITLE & ABSTRACT
SCREENING**

1,880



FULL TEXT SCREENING

200




DATA EXTRACTION

**You can still
EXTRACT**

200

CONTINUE




DATA EXTRACTION

🔍 What is this paper |



- 🔍 What is this paper **journal and publication year?**
- 🔍 What is this paper **country or regions of focus?**
- 🔍 What is this paper **purpose?**
- 🔍 What is this paper **study design and data collection year?**
- 🔍 What is this paper **population and sample size?**
- 🔍 What is this paper **participants mean age?**
- 🔍 What is this paper **IPV type?**
- 🔍 What is this paper **biopsychosocial risk factors?**

Preliminary insights



Regarding survivorship:

Preliminary insights


Regarding Survivorship:

Biological factors

- No current IPV risk factors associated with biological factors.

Preliminary insights

Regarding Survivorship:



- Isolation and socio-economic status.




Risk factors do not identically translate in different regions.

Western regions

Low S.E.S.

Eastern regions

High S.E.S.



Increase risk of IPV

Preliminary insights

Regarding Survivorship:



**Psychological
factors**

- Traditional attitudes towards gender roles.
- Poor marital satisfaction, increased workload.

NEXT STEPS & FUTURE DIRECTIONS



Deeper analysis
of **patterns &**
correlations



Recommendations
for **policy &**
intervention
strategies.



Guide future
interventions &
public health
policies



Synthesize
post-pandemic
IPV risk factors

**What do we
hope to
achieve??**

My experience as a Student in research

Meeting follow up 12/21/2023

Outlook • Djigbonde Djaigbe to emoghimi@waypointcentre.ca

Hi Elnaz, Thank you again for the opportunity to meet you yesterday. I just had a few questions and things to mention. As mentioned in the meeting, I participated in POMPHY in the summer and was asked if I wanted to be a co-facilitator and I did show



- Joined Dr. Elnaz Moghimi research team in late 2023 via the Waypoint student placement program.
 - Help on manuscript for the POMPHY program → Work on the IPV project

Meeting in person for the first time in march 2025 for the IAYMH conferences in Vancouver!



Calendar - d.djaigbe@mail.utoronto.ca

♥ Touch base meeting for IPV scoping review

Join

Fri 6/7/2024 10:30 AM - 11:00 AM

<https://queensu.zoom.us/j/99953977058?pwd=xNV8luJuuQ7k4bF1dWk8FLNTvyWH25.1&from=aaddon>

Moghimi, Elnaz invited you.
Accepted 1, Didn't respond 7

DANIELLA,
YOU CAN STILL

SCREEN

306

Continue

You've screened 938 studies so far

BENEFIT OF THE EXPERIENCE

- Data analysis skills
- Confidence in academic writing and presentation.
- Building professional network.

Thank you for your time!

For questions, comments, or additional
information, please contact:

Djigbonde Daniella C. Djaigbe: d.djaigbe@mail.utoronto.ca

Dr. Elnaz Moghimi: emoghimi@waypointcentre.ca



Djigbonde D.
Djaigbe

REFERENCE

Boserup, B., McKenney, M., & Elkbuli, A. (2020). Alarming trends in US domestic violence during the COVID-19 pandemic. *The American Journal of Emergency Medicine*, 38(12), 2753–2755. <https://doi.org/10.1016/j.ajem.2020.04.077>

Castilla, C., & Murphy, D. M. A. (2023). Bidirectional intimate partner violence: Evidence from a list experiment in Kenya. *Health economics*, 32(1), 175–193. <https://doi.org/10.1002/hec.4616>

Kifle, M. E., Aychiluhm, S. B., & Anbesu, E. W. (2024). Global prevalence of intimate partner violence during the COVID-19 pandemic among women: systematic review and meta-analysis. *BMC Women's Health*, 24(1), 127. <https://doi.org/10.1186/s12905-023-02845-8>

Kolbe, V., & Büttner, A. (2020). Domestic Violence Against Men-Prevalence and Risk Factors. *Deutsches Arzteblatt International*, 117(31–32), 534–541. <https://doi.org/10.3238/arztebl.2020.0534>

Pinto, L. A., Sullivan, E. L., Rosenbaum, A., Wyngarden, N., Umhau, J. C., Miller, M. W., & Taft, C. T. (2010). Biological Correlates of Intimate Partner Violence Perpetration. *Aggression and violent behavior*, 15(5), 387–398. <https://doi.org/10.1016/j.avb.2010.07.001>

Sardinha, L., Maheu-Giroux, M., Stöckl, H., Meyer, S. R., & García-Moreno, C. (2022). Global, regional, and national prevalence estimates of physical or sexual, or both, intimate partner violence against women in 2018. *Lancet (London, England)*, 399(10327), 803–813. [https://doi.org/10.1016/S0140-6736\(21\)02664-7](https://doi.org/10.1016/S0140-6736(21)02664-7)